

CR-91 Event – Shelby County, AL
Preliminary Air Monitoring Summary
September 21, 2016 05:00

Prepared by
Center for Toxicology and Environmental Health, L.L.C. (CTEH®)
On Behalf of Colonial Pipeline



Introduction

On September 9, 2016, the Center for Toxicology and Environmental Health, L.L.C. (CTEH®) initiated air monitoring in support of response efforts to the gasoline release in Shelby County, AL. This report presents the real-time air monitoring data recorded from September 20 2016 05:00 to September 21, 2016 05:00 CDT.

Real-Time Air Monitoring¹

Real-time air monitoring was conducted to evaluate the potential airborne presence of gasoline-associated constituents, if any, during response operations. All instrumentation was calibrated at least once per day or per manufacturer's recommendations. Target analytes were measured as total volatile organic compounds (VOCs), oxygen, benzene, gasoline, hexane, naphthalene, xylene, and flammability as the percent of the lower explosive limit (LEL) using remote telemetering RAESystems® AreaRAEs, hand-held instruments such as RAESystems® MultiRAE Pro/Plus' and UltraRAEs, as well as Gastec® colorimetric detection tubes.

During this monitoring period, four benzene, two LEL, and 22 VOC detections were recorded above the action level concentration during worker activity monitoring. During those instances when detections were sustained, workers were either wearing respiratory protection, or egressed the area in accordance with the approved sampling and analysis plan.

Table 1, below, presents the results of real-time air monitoring using hand-held instruments. Maps of the incident site location and locations of hand-held real-time air monitoring readings are provided in **Appendix I**.

¹ Real-time air monitoring refers to the use of hand-held instruments that provide near-instantaneous readings of an airborne chemical concentration without the need for laboratory analysis.

Table 1: Hand-Held Real-Time Air Monitoring Summary¹
September 20, 2016 05:00 to September 21, 2016 05:00

Location Category	Analyte	Instrument	Count of Readings	Count of Detections	Range of Detections ^{2,3}
Worker Activity Monitoring	Benzene	UltraRAE	181	43	0.05 - 1.6 ppm
	Gasoline	Gastec #101L	9	1	15 ppm
	Hexane	Gastec #102L	8	0	<1 ppm
	%LEL	MultiRAE Plus	74	0	<1 %
		MultiRAE Pro	372	5	2 - 8 %
	Naphthalene	Gastec #60	1	0	<0.1 ppm
	Toluene	Gastec #122	4	0	<1 ppm
		Gastec #122L	5	1	2.5 ppm
	VOC	MultiRAE Plus	75	11	1.2 - 35.2 ppm
		MultiRAE Pro	415	220	0.1 - 500 ppm
Site Characterization	Xylene	Gastec #123	9	2	2.5 - 2.5 ppm
	Benzene	UltraRAE	1	1	70.75 ppm
	%LEL	MultiRAE Pro	2	2	6 – 35 %
	VOCs	MultiRAE Pro	1	1	882.1 ppm

¹Please Note: The data displayed in the above table has not undergone complete QC analysis and is presented in a preliminary format.

²Maximum detections preceded by the "<" symbol are considered non-detections below the instrument limit of detection (LoD) value to the right.

³Numbers are the raw values, no correction factors have been applied.

In addition to worker activity monitoring, remote telemetering equipment established as an early warning system recorded no detections of VOCs above the site-specific action level of 300 ppm and 297 detections of LEL above the action level of 10% (3% as raw values on LEL sensors). **Table 2** (below) summarizes remote telemetering AreaRAE data for this monitoring period, which may contain drift events². **Appendix I** and **Appendix II** include location maps and graphs for remote telemetering data, respectively.

² Drift is defined as any interference in the PID's or electrochemical sensor's ability to accurately report the concentration of a chemical in the atmosphere. Humidity, rapid temperature changes, and compromised batteries are examples of common sources of drift.

Table 2: Remote Telemetry Real-time Air Monitoring Summary^{1,3}

September 19, 2016 05:00 to September 20, 2016 05:00

Unit	Location Description	Analyte	Count of Readings	Count of Detections	Range of Detections ²
AR01	2A Recovery	LEL	4531	10	1.1 - 3.4 %
		O ₂	1836	1836	20.9 - 21.2 %
		VOC	4531	4002	0.1 - 701.2 ppm
AR04	2A Frac Tank Staging	LEL	5179	0	<1 %
		VOC	5179	2410	0.1 - 45.4 ppm
AR05	2A Compressors	LEL	2282	0	<1 %
		VOC	2282	1627	0.1 - 141.4 ppm
AR06	East of Release Site/Near Stopple 2	LEL	5325	0	<1 %
		VOC	5325	3694	0.1 - 189.3 ppm
AR07	2B Recovery	LEL	5094	0	<1 %
		VOC	5094	3946	0.1 - 88.1 ppm
AR08	Main Staging Area Frac Tanks	LEL	5185	0	<1 %
		VOC	5185	2063	0.1 - 13.1 ppm
AR09	Release Site	LEL	3669	0	<1 %
		O ₂	3669	3669	20.4 - 20.9 %
		VOC	3669	2838	0.1 - 402 ppm
AR10	On path between Recovery 2A and Recovery 2B.	LEL	4329	0	<1 %
		VOC	4329	2941	0.1 - 100.5 ppm
AR11	Main Staging Entrance East of TRG checkpoint	LEL	5131	0	<1 %
		VOC	5131	1503	0.1 - 12.7 ppm
AR12	Boom Site #2	LEL	5758	0	<1 %
		VOC	5758	1235	0.1 - 1.8 ppm
AR13	TRG Checkpoint 2 - access to stopple 1, Recovery 2A and 2A Frac Tank Staging Area.	LEL	5116	0	<1 %
		VOC	5116	1547	0.1 - 12.2 ppm
AR14	Cab of excavator at release site	LEL	4801	0	<1 %
		O ₂	844	844	20.9 - 20.9 %
		VOC	4801	2411	0.1 - 31.7 ppm


¹Please note: The data displayed here has not undergone complete QA/QC analysis and is presented in a preliminary format.²Maximum detections preceded by the "<" symbol are considered at the limit of detection (LoD) value to the right.³LEL and VOC values are raw values, correction factors have not been applied.


Appendix I:


Site Location, Hand-Held Real-Time
Air Monitoring Location, and
Remote Telemetry Air Monitoring
Location Maps





	Main Staging Site		2B Recovery		Underflow Dam		Right of Way
	2A Recovery		2B Frac Tank Staging Area		Release Site		Artificial Path
	2A Frac Tank Staging Area		Restoration Area		Stopple		Creek/Stream


















Appendix II:

Remote Telemetry Air Monitoring Graphs

Remote Telemetry Real-time Air Monitoring | LEL


CR-91 Event | 9/20/2016 05:00 to 9/21/2016 04:59



LEL readings are a true representation of atmospheric conditions (appropriate correction factors have been applied to field values).

Remote Telemetry Real-time Air Monitoring | Oxygen


CR-91 Event | 9/20/2016 05:00 to 9/21/2016 04:59



Remote Telemetry Real-time Air Monitoring | VOC

CR-91 Event | 9/20/2016 05:00 to 9/21/2016 04:59

Unit / Location



VOC readings are a true representation of atmospheric conditions (appropriate correction factors have been applied to field values).